VISION-EASE LENS
WORLDWIDE

PRODUCT REFERENCE GUIDE

Glass

High Index Semi-Finished Single Vision

66mm 1.70 Index (White)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
Plano	0.00	-	-	-10.00	-53.00	4.5	15.6
0.50	0.50	1060.000	0.295	-10.00	-53.00	5.5	15.6
2.00	2.00	265.000	1.182	-9.00	-58.89	5.3	12.4
4.25	4.15	127.711	2.471	-8.00	-66.25	5.2	8.7

*Utilized for power calculation only, not for thickness calculation

VISION-EASE LENS
WORLDWIDE

PRODUCT REFERENCE GUIDE

Glass

High Index Semi-Finished Single Vision

70mm 1.70 Index (White)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
4.25	4.15	127.711	2.471	-8.00	-66.25	5.4	9.7

*Utilized for power calculation only, not for thickness calculation

VISION-EASE LENS
WORLDWIDE

PRODUCT REFERENCE GUIDE

Glass

High Index Semi-Finished Single Vision

66mm 1.80 Index (White and White 0.50 Base Extra Thick)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
0.50	0.50	1060.000	0.295	-8.00	-66.25	5.0	13.3
0.50XT	0.50	1060.000	0.295	-10.00	-53.00	9.0	20.0
2.00	2.00	265.000	1.182	-8.00	-66.25	5.0	11.7
8.25	8.17	64.871	5.011	-6.00	-88.33	8.5	5.9
10.25	10.09	52.527	6.331	-6.00	-88.33	8.5	3.2

*Utilized for power calculation only, not for thickness calculation

VISION-EASE LENS
WORLDWIDE

PRODUCT REFERENCE GUIDE

Glass

High Index Semi-Finished Single Vision

71mm 1.80 Index (White)

Base Curve	True Curve (1.530)	Front Radius	50mm SAG*	Back Curve	Back Radius	CT (mm) Nominal	ET (mm) Nominal
0.50	0.50	1060.000	0.295	-8.00	-66.25	7.8	11.0
2.00	2.00	265.000	1.182	-8.00	-66.25	6.0	13.9
4.25	4.15	127.711	2.471	-8.00	-66.25	6.0	11.2

*Utilized for power calculation only, not for thickness calculation